

UNO

Economical display device for power measurement. Single-channel.



PRODUCT FAMILY KEY FEATURES

READS ALL POWER DETECTORS

Thermopiles and optical detectors of the PH100 & PH20 series

LARGE LCD DISPLAY

- 76 x 57 mm
- 32 mm digits

UNIQUE ERGONOMIC DESIGN

Great for both handheld and tabletop use

ACCURATE

24 bit A/D converter for high resolution measurements

SINGLE-BUTTON NAVIGATION

Direct access and long press access to all the functions

EXTREMELY LOW CONSUMPTION

Lasts 670 hours with 4 AA alkaline batteries

ECONOMICAL

Get the best value for your money with this inexpensive and simple to use power monitor.



SPECIFICATIONS

CONTROLLER AND GUI SPECIFICATIONS

Digital display size	76 x 57 mm LCD
Data display	Real time
Digit height	32 mm
External trigger	None
Battery type	4 x AA Alkaline
Battery life	670 hours with detector
External power supply	9 VDC 1.66 A

POWER METER SPECIFICATIONS

Digital resolution	1 pW
Device accuracy	±1 %

ENERGY METER SPECIFICATIONS

PHYSICAL CHARACTERISTICS

Dimensions	210W x 122H x 44D mm
Weight	0.47 kg

ORDERING INFORMATION

UNO	200982
-----	--------

Specifications are subject to change without notice. Refer to the user manual for complete specifications.

INTERESTED IN THIS PRODUCT?



Find your local sales representative at gentec-eo.com/contact-us